

**RECEIVED
CENTRAL FAX CENTER****AUG 14 2007**600 SOUTH AVENUE WEST • WESTFIELD, NEW JERSEY 07090
908.654.5000 • FAX 908.654.7866 • WWW.LDLKM.COM

PATENTS, TRADEMARKS, COPYRIGHTS & UNFAIR COMPETITION

Facsimile Transmittal

To:	Fax Number	Voice Number
Examiner Bao Q. Vu U.S. Patent & Trademark Office	(571) 273-8300	

From: Robert B. Cohen, Esq.**Date:** August 14, 2007**No. Pages:**

5

Original Mailed: No**Client/Matter No:** S0 NYJP/1176• **MESSAGE:**

NOTICE: The information contained herein is intended only for the addressee identified above. It may be or may include material that is confidential, attorney-client privileged, attorney work product, copyrighted, and/or inside information. If you are not the intended recipient, or a person responsible for delivering this message to the intended recipient, you are hereby notified that the unauthorized use, disclosure, distribution or copying is strictly prohibited and may be in violation of court order or otherwise unlawful. If you have received this transmission in error, please immediately notify us at 908 654 5000 (collect, if necessary) and return this document to us by mail.

782821 1.DOC

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax. No. (571) 273-8300 on August 14, 2007.

(Signature)

Robert Cohen

Typed or Printed Name of Person Signing Certificate

Docket No.: SONYJP 3.3-1041
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Masayuki Yasumura

Application No : 10/534,142

: Group Art Unit: 2838

Filed: April 3 2006

: Examiner: Bao Q. Vu

For: SWITCHING POWER SUPPLY CIRCUIT

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT UNDER 37 C.F.R. § 1.312

Sir:

Further to the Notice of Allowance mailed June 12, 2007 in connection with the above-identified patent application, and applicant's previous Rule 312 amendment submitted by facsimile on July 6, 2007, please amend this application as follows: